

SOP ON SINGAPORE CAMPUS HOUSING

In the observance of safe distancing, a maximum of 2 occupants will be allocated in one room. Hence, triple and 4-bedder rooms will only have 2 occupants each. Students who are allocated in a triple and 4-bedder will be separated by using the bed diagonally.









TOUCH FREE SANITIZERS

DUBAI • MUMBAI • SINGAPORE • SYDNEY

Touch Free Sanitizers will be placed in high traffic areas in the entire campus /housing . All students SHOULD sanitize their hands from time to time.







FREQUENT HAND-WASHING IS STRONGLY ENCOURAGED

Hand-washing is one of the most effective means of controlling the transmission of viruses. Signage on 8-steps of the regulated hand-washing is posted in most of the toilets/wash areas in campus.







USE OF COMMON PANTRY IN THE HOSTEL

High traffic areas in campus are demarcated clearly with visual indicators-marked with a box / line for everyone's compliance. They are placed on the floor when queuing for the use of microwave ovens, bread toasters and induction cooker in the hostel space(all levels). Avoid sharing of food/crockery/containers. Keep your masks ON until start eating/drinking







LAUNDRY ROOMS

Hostel Laundry Rooms will be restricted only to 2 users at a time.







WWW.SPJAIN.SG

Some Safety measures-IMPORTANT

- Residents from different floors SHOULD not inter-mix.
- It is mandatory for Residents to get their daily Temperature checks within 11 am
- Monitor residents' health closely to identify who display symptoms of infection.
- Common areas, communal facilities and shared services to be cleaned and regularly disinfected
- Visitors are allowed inside hostel room ONLY for essential purposes e.g. repair works.
- Students should use shared facilities, such as toilets and communal cooking areas located on their respective floors.





REPORTING SICK

DUBAI • MUMBAI • SINGAPORE • SYDNEY

Student is highly encouraged to report to the Reception or to any S P Jain staff if he/she is ill, most specifically if the individual is having respiratory symptoms (ARI) and/or experiencing fever, cough, running nose, shortness of breath. If the student can travel by his/her own, he/she should take a cab or Grab and proceed to the nearest clinic or hospital that has **SASH (Swab and Stay Home)** capability. Student may go either to:

- Shenton Wellness Centre: 460 Alexandra Road, #02-15 PSA Building, Alexandra Retail Centre, Singapore, 119963 Telephone No. 63761630 (about 800m away from campus)
- 2. Raffles Medical: 370 Alexandra Road, #B1-41 Anchorpoint Singapore, 159953 Telephone No. 94793818 (about 1km away from campus)
- **3.** Alexandra Hospital: 378 Alexandra Road, Singapore, 159964 Telephone No. 65722000 (about 900m away from campus)



Swab-And-Send-Home (SASH) at GP Clinics in Singapore

WWW.SPJAIN.SG



GUIDELINES ON MANAGING SUSPECTED/AFFECTED CASES IN THE HOSTEL - 1

DUBAI • MUMBAI • SINGAPORE • SYDNEY

WWW.SPJAIN.SG

Singapore Campus will follow the guidelines set by Singapore Government on managing suspected case in the accommodation.





GUIDELINES ON MANAGING SUSPECTED/AFFECTED CASES IN THE HOSTEL - 2

DUBAI • MUMBAI • SINGAPORE • SYDNEY

COVID-19 – Positive case

 If P_A is tested positive for COVID-19, the steps to be taken will be the same as <u>G. Emergency Response</u>, except that the Operator will be notified of when the extraction will take place.

Quarantine - Close contacts

 MOH will perform contact tracing and inform the Operator of the people who need to be quarantined at the Government Quarantine Facilities (GQF).
Operator to inform SLA once the list is available. In the meantime, close contacts of P_A are to be placed in the Quarantine Room (refer to <u>D. During Quarantine</u> <u>Period</u> for actions to be taken for quarantined personnel) and to report sick if they feel unwell at any point in time.

Recovery

 After P_A has been discharged from the medical facility, P_A will return to the Accommodation. Operator may wish to house P_A in a separate unit for the time being if possible.



* The symptoms of COVID-19 infection are similar to that of regular oneumonia. Typical symptoms include fever, couch and shortness of breath (Source: www.moh.eov.se/covid-19/faos)

WWW.SPJAIN.SG